

SCALP DECO COATING PROTEC

COLOURLESS, NON-FILM-FORMING, WATER-BASED PROTECTION FOR INDOOR DECORATIVE COATINGS



PRODUCT BENEFITS



- Very good adherence, does not require bonding primer
- Solvent-free
- Non-flammable
- Odourless
- Available in different shades
- Directive COV 2004/42/CE compliant: Category A: max VOC content: 140 g / L (2010), max content of ready-to-use product: 139 g / L



PACKAGING:

- 200 L barrel
- 20 L: 24 x 20 L pallet
- 5 L: 4 x 5 L pack
- 1 L: 20 x 1 L pack

AREAS OF APPLICATION

SCALP DECO COATING PROTEC is a nanotechnology protection product and the result of specific processes for protecting all kinds of indoor decorative coatings (waxy, concrete, whitewash, tadelakt, old-style wall textures, antique-finish walls, concrete coatings etc.)

Your decorative coatings will retain their beauty and no longer be damaged by time and all manner of splashing from liquids (water, oil, coffee, wine etc.).

APPLICATION

1. DILUTION: Ready-to-use product, do not dilute.

2. APPLICATION EQUIPMENT: Varnish or acrylic roller, manual sprayer or graining brush.

3. OPERATING PROCEDURE: Thoroughly mix SCALP DECO COATING PROTEC, then apply to the surface to be treated, from bottom to top, until the surface is saturated. Apply one to two coats, at an interval of 10 minutes. Avoid any excess product, as this can cause drippings and leave streaks on the surface. Apply SCALP DECO COATING PROTEC to clean and dry surfaces. If the surface was rinsed beforehand, wait a minimum of 10 days before applying the product.

4. APPLICATION TIME: SCALP DECO COATING PROTEC is an impregnation product. Protection is effective as soon as SCALP DECO COATING PROTEC has completely dried (one to several hours). On new surfaces, wait 72 hours before applying SCALP DECO COATING PROTEC.

5. APPLICATION TEMPERATURE: 5 °C to 50 °C. Effectiveness is reduced at extreme temperatures.

6. TOOL CLEANING: Tools must be cleaned with water straight after use.



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.

7. YIELD: Depends on materials and their porosity*.

8. STORAGE: Store product in frost-free premises, away from the elements and direct sunlight.

*Yield information is only provided as a rough guide. This information is useful to work out the amount needed for the project. This information is in no way contractual. The exact quantity of product to be applied can only be established through tests, based on the different surfaces to be treated.

PHYSICO-CHEMICAL FEATURES

- Aqueous product
- Colourless liquid
- Density at $1 \text{ g} \pm 0.03 \text{ g} / \text{cm}^3$ at $20 \text{ }^\circ\text{C}$
- pH: Neutral
- Keep from freezing
- Flash point: None

APPLICATION PRECAUTIONS

1. PROTECTION OF SURFACES: Protect surfaces not to be treated with water repellent (glass, PVC etc.).

2. PROTECTION OF PERSONS: Avoid contact with eyes and skin. Wear PVC gloves. Wear a helmet with a protective visor for the face during spray application. Wear safety goggles when applying with a roller or brush. In case of contact, immediately wash with water.

Important: The contents of this document stem from our experience with the product. We cannot be held liable as far as its use is concerned in every individual case. Given the particular characteristics of each surface (wear and tear, alteration of the entire surface and / or its properties, chemical composition etc.), and to avoid any damage to the surface to be treated, it is essential that the Scalp product be tested on a small area to be treated, by following the procedure for application, in order to ensure that no alteration occurs. Professional product: dangerous, follow application precautions. Wear personal protective equipment (PPE) and refer to the safety data sheet (SDS).



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-Industry specialist.

Technical Data Sheet • July 2020
Page 2/2