

DEROX 320

CLEANER AND DEGREASER OF METALS (ZINC, ALUMINIUM, GALVA)
PRIOR TO PAINTING



PRODUCT BENEFITS



- Fast and very effective
- Highly versatile
- Concentrated
- Faint odour



PACKAGING :

- 25 kg: pallet of 24 X 25 kg
- 6 kg: carton of 4 X 6 kg
- 1.2 kg: carton of 10 X 1.2 kg

AREAS OF APPLICATION

DEROX 320 prepares metals (zinc, aluminium, galva) before painting. This stripping acid compound improves the porosity of metals to promote adhesion. This product is a degreaser for all metal surfaces prior to painting (respect metal painting systems, whether anti-corrosion or otherwise)..

APPLICATION

1. DILUTION: Use pure or diluted:

- Aluminium: 100%
- Zinc: 50%
- Galvanised steel: 50%.

2. TOOLS: Paintbrush, brush, roller or by dipping.

3. METHOD: Apply the product onto the surface and then leave it to act. Scrub with a brush and thoroughly rinse the surface with water.

4. APPLICATION TIME: 5-10 minutes or more depending on the desired roughness.

5. APPLICATION TEMPERATURE: From 5 to 50°C. Efficacy is reduced at extreme temperatures

6. CLEANING OF TOOLS : Clean tools in water immediately after use.

7. APPLICATION RATE: 150 g/m2 after dilution*.



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.

8. STORAGE : Store the product in a frost-free location where it is protected from the weather and away from direct sunlight.

* Coverage areas are provided for information only and can be used to assess a project. They are in no way contractual; only tests can define the actual amount of product required depending on the surface to be treated.

PHYSICOCHEMICAL PROPERTIES

- Highly concentrated
- Colourless liquid
- Density : 1.2 +/- 0.03 g /cm³ at 20°C
- pH : 1
- Not frost resistant, but effects reversible
- Flash point : Non-flammable

APPLICATION PRECAUTIONS

1. PROTECTION OF SURFACES: Do not apply DEROX 320 to limestone materials.

2. PROTECTION OF PERSONS: This product is a mixture of acidic minerals. It is corrosive to the skin and can cause serious burns. In case of contact with skin, wash immediately with water. Wear PVC butyl-nitrile gloves and goggles. Work in a well-ventilated room.

Important: The contents of this documentation result from our experience of the product. We cannot be held responsible for its use in each individual case. It is essential to test areas to be treated beforehand. See the Safety Data Sheet (SDS).



SCALP is a French family-owned business and manufacturer of cleaning, protection and treatment solutions, with over 65 years as a construction-industry specialist.

Technical Data Sheet • May 2021
Page 2/2