

BODYWORK CLEANER 91

HYPER-PHOSPHATE CONCENTRATED CLEANER, IN FREE-FLOWING POWDER FORM, FOR VEHICLE BODIES







- Highly-soluble enhanced powder formula, suitable for hard water.
- Powerful antistatic action: reduces dust and dirt deposits.
- Safe for bodywork and equipment (brushes etc.).
- Recommended for car washes.



PACKAGING:

25 kg bag

A REAS OF APPLICATION

BODYWORK CLEANER 91 is a free-flowing powder detergent that is perfectly suited to cleaning and removing grease marks from all types of dirt and grime found on vehicle bodies. It is highly effective against static film, insects, mud, hydrocarbons and other dirt. It brings shine to surfaces and does not negatively impact chrome bars, aluminium strips, joints etc.

APPLICATION

- **1.DILUTION**: The product must be diluted with water to a concentration of 0.2 % to 0.5 %, depending on the level of dirt.
- **2.APPLICATION EQUIPMENT:** Metering pump.
- 3.MODE OF OPERATION: For use in car-wash arches: place product in the shampoo compartment of the arch, for it to be pumped and sprayed onto the whole vehicle through the boom nozzles provided for this purpose. Leave to work for 3 minutes. Never let product dry. Rinse thoroughly with water at high pressure.
- **4.APPLICATION TEMPERATURE**: 5 °C to 50 °C. Effectiveness is reduced at extreme temperatures.

Technical Data Sheet • June 2021 Page 1/2 5. TOOL CLEANING: Clean tools with water straight after application.

6. YIELD: 1 to 2 litres of product per car.

7. STORAGE: Store product in frost-free premises, away from the elements and direct sunlight. Do not store at temperatures < 5 °C.

* Yield information is only provided as a rough guide. This information is useful to determine the amount needed for the work. This information is in no way contractual. The exact quantity of product to be applied can only be established through tests, based on the different surfaces to be treated.


PHYSICO-CHEMICAL FEATURES

- Powder detergent
- Pleasant smell, fragranced
- Density: 0.66 g / cm3 at 20 °C
- pH at 10 g / L: 11.2+/-0.2
- Freezing point: N/A
- Flash point: None

APPLICATION PRECAUTIONS

1. PROTECTION OF SURFACES: Do not apply product to surfaces that are very hot or have been exposed to the sun. Do not let product dry on car bodies. 2. PROTECTION OF PERSONS: Wear gloves and safety goggles. Avoid contact with eyes. In the event of splashing, rinse with water.

Important: The contents of this document stem from our experience with the product. We cannot be held liable as far as its use is concerned in every individual case. Given the particular characteristics of each surface (wear and tear, alteration of the entire surface and/or its properties, chemical composition etc.), and to avoid any damage to the surface to be treated, it is essential that the Scalp product be tested on a small area to be treated, by following the procedure for application, in order to ensure that no alteration occurs.







Tél.: +33 (0)1 48 48 39 76 Fax: +33 (0)1 48 49 80 36